

SHIPPING DATAPE PIPE IN COIL

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901

Standard 40ft Container Load Quantities					
Diameter of pipe	DR	Coil Length	Nos of Coils	Total length	Weight
<i>Inch</i>		<i>Feet</i>	<i>Numbers</i>	<i>Feet</i>	<i>Short Ton</i>
1/2"	13.5	2000	100	200,000	7.18
	11	2000	100	200,000	8.45
	9.3	2000	100	200,000	9.65
	9	2000	100	200,000	9.88
	7	2000	100	200,000	12.03
3/4"	17	2000	100	200,000	9.16
	15.5	2000	100	200,000	9.90
	13.5	2000	100	200,000	11.04
	11	2000	100	200,000	12.93
	9.3	2000	100	200,000	14.88
	9	2000	100	200,000	15.29
	7	2000	100	200,000	18.58
1"	17	1500	100	150,000	8.86
	15.5	1500	100	150,000	8.86
	13.5	1500	100	150,000	10.46
	11	1500	100	150,000	11.20
	9.3	1500	100	150,000	12.62
	9	1500	100	150,000	15.07
	7	1500	100	150,000	17.18
1 1/4"	17	1000	100	100,000	9.13
	15.5	1000	100	100,000	10.94
	13.6	1000	100	100,000	11.79
	11	1000	100	100,000	13.23
	9.3	1000	100	100,000	15.76
	9	1000	100	100,000	18.08
	7	1000	100	100,000	18.62
1 1/2"	17	1000	45	45,000	5.29
	15.5	1000	45	45,000	6.36
	13.6	1000	45	45,000	6.89
	11	1000	45	45,000	7.75
	9.3	1000	45	45,000	9.24

SHIPPING DATA PE PIPE IN COIL

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901

Standard 40ft Container Load Quantities


Diameter of pipe	DR	Coil Length	Nos of Coils	Total length	Weight
<i>Inch</i>		<i>Feet</i>	<i>Numbers</i>	<i>Feet</i>	<i>Short Ton</i>
1 1/2"	9	1000	45	45,000	10.67
	7	1000	45	45,000	11.00
2"	17	500	45	22,500	4.90
	15.5	500	45	22,500	5.29
	13.6	500	45	22,500	5.98
	11	500	45	22,500	7.21
	9.3	500	45	22,500	8.35
	9	500	45	22,500	8.60
	7	500	45	22,500	10.62
	17	1000	30	30,000	6.53
	15.5	1000	30	30,000	7.05
	13.6	1000	30	30,000	7.97
	11	1000	30	30,000	9.61
	9.3	1000	30	30,000	11.13
	9	1000	30	30,000	11.47
	7	1000	30	30,000	14.15
3"	17	500	20	10,000	4.67
	15.5	500	20	10,000	5.09
	13.6	500	20	10,000	5.77
	11	500	20	10,000	6.95
	9.3	500	20	10,000	8.05
	9	500	20	10,000	8.30
	7	500	20	10,000	10.25
	17	800	15	12,000	5.61
	15.5	800	15	12,000	6.11
	13.6	800	15	12,000	6.93
	11	800	15	12,000	8.34
	9.3	800	15	12,000	9.66
	9	800	15	12,000	9.96
	7	800	15	12,000	12.31

SHIPPING DATA PE PIPE IN COIL

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901

Standard 40ft Container Load Quantities

Diameter of pipe	DR	Coil Length	Nos of Coils	Total length	Weight
Inch		Feet	Numbers	Feet	Short Ton
4"	17	500	16	8,000	6.18
	15.5	500	16	8,000	6.73
	13.6	500	16	8,000	7.64
	11	500	16	8,000	9.19
	9.3	500	16	8,000	10.66
	9	500	16	8,000	10.97
	7	500	16	8,000	13.56
4" (To be shipped in Open-Top container)	17	800	12	9,600	7.42
	15.5	800	12	9,600	8.07
	13.6	800	12	9,600	9.16
	11	800	12	9,600	11.03
	9.3	800	12	9,600	12.79
	9	800	12	9,600	13.16
	7	800	12	9,600	16.28



SHIPPING DATA

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901in Straight Length

STANDARD CONTAINER LOAD QUANTITIES (40FT.)

Standard 40ft Container Load Quantities					
Diameter of pipe	DR	Nos of pipe	Length of each Stick	Length of Pipe	Weight
<i>Inch</i>		<i>Feet</i>	<i>Feet</i>	<i>Feet</i>	<i>Short ton</i>
4"	32.5	684	39	26,676	43.00
	26	684	39	26,676	15.17
	21	684	39	26,676	18.61
	17	684	39	26,676	22.72
	15.5	684	39	26,676	24.73
	13.6	679	39	26,481	27.87
	11	564	39	21,996	27.86
	9.3	485	39	18,915	27.79
	9	474	39	18,486	27.94
	7	380	39	14,820	27.70
6"	32.5	304	39	11,856	10.70
	26	304	39	11,856	13.29
	21	304	39	11,856	16.24
	17	304	39	11,856	19.85
	15.5	304	39	11,856	21.59
	13.6	304	39	11,856	24.55
	11	260	39	10,140	25.24
	9.3	225	39	8,775	25.32
	9	218	39	8,502	25.26
	7	175	39	6,825	25.08
8"	32.5	171	39	6,669	10.19
	26	171	39	6,669	12.66
	21	171	39	6,669	15.50
	17	171	39	6,669	18.90
	15.5	171	39	6,669	20.59
	13.6	171	39	6,669	23.41
	11	153	39	5,967	25.18

SHIPPING DATA

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901 in Straight Length

STANDARD CONTAINER LOAD QUANTITIES (40FT.)

Standard 40ft Container Load Quantities					
Diameter of pipe	DR	Nos of pipe	Length of each Stick	Length of Pipe	Weight
<i>Inch</i>		<i>Feet</i>	<i>Feet</i>	<i>Feet</i>	<i>Short ton</i>
8"	9.3	131	39	5,109	25.00
	9	125	39	4,875	24.55
	7	104	39	4,056	25.25
10"	32.5	109	39	4,251	10.12
	26	109	39	4,251	12.52
	17	109	39	4,251	18.71
	15.5	109	39	4,251	20.41
	13.6	109	39	4,251	23.17
	11	98	39	3,822	25.06
	9.3	85	39	3,315	25.21
	9	82	39	3,198	25.01
	7	66	39	2,574	24.90
12"	32.5	76	39	2,964	9.90
	26	76	39	2,964	12.28
	17	76	39	2,964	18.36
	15.5	76	39	2,964	20.01
	13.6	76	39	2,964	22.71
	11	70	39	2,730	25.18
	9.3	60	39	2,340	25.04
	9	58	39	2,262	24.90
	7	47	39	1,833	24.94
14"	32.5	55	39	2,145	8.66
	26	55	39	2,145	10.72
	17	55	39	2,145	16.03
	15.5	55	39	2,145	17.45
	13.6	55	39	2,145	19.82
	11	55	39	2,145	23.86
	9.3	50	39	1,950	25.15
	9	48	39	1,872	24.85
	7	40	39	1,560	25.60

SHIPPING DATA

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901 in Straight Length

STANDARD CONTAINER LOAD QUANTITIES (40FT.)

Standard 40ft Container Load Quantities					
Diameter of pipe	DR	Nos of pipe	Length of each Stick	Length of Pipe	Weight
<i>Inch</i>		<i>Feet</i>	<i>Feet</i>	<i>Feet</i>	<i>Short ton</i>
16"	32.5	42	39	1,638	8.62
	26	42	39	1,638	10.68
	17	42	39	1,638	15.98
	15.5	42	39	1,638	17.41
	13.6	42	39	1,638	19.77
	11	42	39	1,638	23.81
	9.3	38	39	1,482	24.96
	9	37	39	1,443	25.01
	7	30	39	1,170	25.08
18"	32.5	33	39	1,287	8.58
	26	33	39	1,287	10.63
	17	33	39	1,287	15.89
	15.5	33	39	1,287	17.31
	13.6	33	39	1,287	19.66
	11	33	39	1,287	23.65
	9.3	30	39	1,170	24.94
	9	29	39	1,131	24.81
	7	23	39	897	24.33
20"	32.5	27	39	1,053	8.66
	26	27	39	1,053	10.73
	17	27	39	1,053	16.04
	15.5	27	39	1,053	17.49
	13.6	27	39	1,053	19.86
	11	27	39	1,053	23.90
	9.3	24	39	936	24.64
	9	23	39	897	24.29
	7	19	39	741	24.82

SHIPPING DATA

Material: PE PIPE PE4710 ASTM D3305, ASTM F714, AWWA C906, AWWA C901in Straight Length



Pipe Standard

ASTMD 3035, ASTM F 714, AWWA C 901, AWWA C 901,



Standard Length

For Coil: Various
For Stick: 39Ft



Colour

Blue, Black, Orange

DR

33 - 7.4

Tube Sizing

IPS